Contents

No. 1/2 – 1–312 issued May 1993
No. 3 – 313–462 issued June 1993

Abril MA, Ramos JL: Physical organization of the upper pathway operon promoter of the *Pseudomonas* TOL plasmid. Sequence and positional requirements for XylR-dependent activation of transcription 281
Alonso JC, Stiege AC, Lüder G: Genetic recombination in *Bacillus subtilis* 168: effect of *recN*, *recF*, *recH* and *addAB* mutations on DNA repair and recombination 129
Anton M, Heller KJ: The wild-type allele of *tonB* in *Escherichia coli* is dominant over the *tonB1* allele, encoding Ton-B_{Q160K}, which suppresses the *btuB451* mutation 371
Araya A → Vyskot B 219
Arber W → Olasz F 177

Bailone A → Sommer S 137
Bastarrachea F → Osorio AV 400
Bennetzen JL → Hong KS 115
Bernhard F, Coplin DL, Geider K: A gene cluster for amylovoran synthesis in *Erwinia amylovora*: characterization and relationship to *cps* genes in *Erwinia stewartii* 158
Bohnert HJ → DeRocher EJ 450
Boucher CA → Gough CL 378
Brennicke A → Schuster W 49
Burke JJ → Oliver MJ 425

Camarena L → Osorio AV 400
Camilleri C → Gaudin V 225
Carland FM, Staskawicz BJ: Genetic characterization of the Pto locus of tomato: semi-dominance and cosegregation of resistance to *Pseudomonas syringae* pathovar tomato and sensitivity to the insecticide Fenthion 17
Chamberlain AK → Heck GR 209
Chen M, Nagarajan V: The roles of signal peptide and mature protein in RNase (barnase) export from *Bacillus subtilis* 409
Chiannilkulchai N → Stettler S 169
Christiaens H → Leer RJ 269
Combettes B → Schuster W 49
Contamine D → Gay P 361
Coplin DL → Bernhard F 158
Coupland G → Putterill J 145
Crawford NM → Wilkinson JQ 289
Crouse GF → New L 97

Davies SP → Xu H 58
Degelman A: Genetic analysis of the X-chromosomal region 1E-2A of *Drosophila melanogaster* 257
DeRocher EJ, Quigley F, Mache R, Bohnert HJ: The six genes of the Rubisco small subunit multigene family from *Mesembryanthemum crystallinum*, a facultative CAM plant 450
Devoret R → Sommer S 137

Elizur A → Knibb WR 109
Estruch JJ → Hansen G 310

Ferguson DL → Oliver MJ 425
Flieger K → Schuster W 49

García E, García P, López R: Cloning and sequencing of a gene involved in the synthesis of the capsular polysaccharide of *Streptococcus pneumoniae* type 3 188
García P → García E 188
Gaudin V, Camilleri C, Jouanin L: Multiple regions of a divergent promoter control the expression of the *Agrobacterium rhizogenes aux1* and *aux2* plant oncogenes 225
Gay P, Contamine D: Study of the *ref(2)P* locus of *Drosophila melanogaster*. II. Genetic studies of the 37DF region 361
Geider K → Bernhard F 158
Genin S → Gough CL 378
Giese H → Rasmussen M 298
Goto J, Miyabayashi T, Wakamatsu Y, Takahashi N, Muramatsu M: Organization and expression of mouse *Hox3* cluster genes 41
Gough CL, Genin S, Lopes V, Boucher CA: Homology between the HrpO protein of *Pseudomonas solanacearum* and bacterial proteins implicated in a signal peptide-independent secretion mechanism 378
Griffig J → Pfeifer F 66
Griffioen G → Kraakman LS 196
Groeneveld P → Kraakman LS 196
Grollman AP → Moriya M 72

Hansen G, Estruch JJ, Sommer H, Spena A: *NTGLO:* a tobacco homologue of the *GLOBOSA* floral homeotic gene of *Antirrhinum majus:* cDNA sequence and expression pattern 310
Harayama S, Rekik M: Comparison of the nucleotide sequences of the *meta*-cleavage pathway genes of TOL plasmid pWW0 from *Pseudomonas putida* with other *meta*-cleavage genes suggests that both single and multiple nucleotide substitutions contribute to enzyme evolution 81
Hashimoto H → Shimamoto K 354
Hassan HM → Roy DG 33
Heck GR, Chamberlain AK, Ho T-HD: Barley embryo globulin 1 gene, *Beg1*: Characterization of cDNA, chromosome mapping and regulation of expression 209
Heijne G von → Johansson M 251
Heller KJ → Anton M 371
Hermann-LeDenmat S → Stettler S 169
Ho T-HD → Heck GR 209
Hohn B → Rossi L 345
Hollricher K → Wolter M 122
Hong KS, Richter TE, Bennetzen JL, Hulbert SH: Complex duplications in maize lines 115
Hopwood DA → Smokvina T 90
Hulbert SH → Hong KS 115

Iida S → Shimamoto K 354
Inagaki Y → Shimamoto K 354
Itoh K → Shimamoto K 354
Izawa T → Shimamoto K 354

Johansson M, Nilsson IM, Heijne G von: Positively charged amino acids placed next to a signal sequence block protein translocation more efficiently in *Escherichia coli* than in mammalian microsomes 251
Jones NJ → Waters R 28
Jouanin L → Gaudin V 225
Judelson HS: Intermolecular ligation mediates efficient cotransformation in *Phytophthora infestans* 241

Kanaan MN, Marzluf GA: The positive-acting sulfur regulatory protein CYS3 of *Neurospora crassa*: nuclear localization, autogenous control, and regions required for transcriptional activation 334
Klaenhammer TR → Roy DG 33
Klingmüller W → Siddavattam D 435
Knezevic J → Sommer S 137
Knibb WR, Tearle RG, Elizur A, Saint R: Genetic analysis of chromosomal region 97D2–9 of *Drosophila melanogaster* 109
Knox RB → Xu H 58
Kraakman LS, Griffioen G, Zerp S, Groeneveld P, Thevelein JM, Mager WH, Planta RJ: Growth-related expression of ribosomal protein genes in *Saccharomyces cerevisiae* 196
Kwan BYH → Xu H 58

Lacroute F → Stettler S 169
Lalo D → Stettler S 169
Lee K → Putterill J 145
Leer RJ, Christiaens H, Verstraete W, Peters L, Posno M, Pouwels PH: Gene disruption in *Lactobacillus plantarum* strain 80 by site-specific recombination: isolation of a mutant strain deficient in

conjugated bile salt hydrolase activity 269
Li Y, Nagayoshi S, Sugita M, Sugiura M: Structure and expression of the tobacco nuclear gene encoding the 33 kDa chloroplast ribonucleoprotein 304
Liu K → New L 97
Lopes V → Gough CL 378
López R → García E 188
Lorenzetti R → Montorsi M 1
Lüder G → Alonso JC 129

Mache R → DeRocher EJ 450
Mager WH → Kraakman LS 196
Makarow M → Russo P 273
Marzluf GA → Kanaan MN 334
Miwa J → Nishiwaki K 313
Miyabayashi T → Goto J 41
Miyazaki C → Shimamoto K 354
Montorsi M, Lorenzetti R: Heat-stable and heat-labile thymidylate synthases B of *Bacillus subtilis*: comparison of the nucleotide and amino acid sequences 1
Moriya M, Grollman AP: Mutations in the *mutY* gene of *Escherichia coli* enhance the frequency of targeted G:C → T:A transversions induced by a single 8-oxoguanine residue in single-stranded DNA 72
Mouras A → Vyskot B 219
Muramatsu M → Goto J 41

Nagarajan V → Chen M 409
Nagayoshi S → Li Y 304
Negrutiu I → Vyskot B 219
New L, Liu K, Crouse GF: The yeast gene *MSH3* defines a new class of eukaryotic MutS homologues 97
Nilsson IM → Johansson M 251
Nishiwaki K, Sano T, Miwa J: *emb-5*, a gene required for the correct timing of gut precursor cell division during gastrulation in *Caenorhabditis elegans*, encodes a protein similar to the yeast nuclear protein SPT6 313
Noguchi T, Takahashi H: Transactivation of a plasmid-borne bacteriophage T4 late gene 393
Noll-Louzada M → Osorio AV 400

O'Brien AP → Xu H 58
Oesterhelt D → Pfeifer F 66
Olasz F, Stalder R, Arber W: Formation of the tandem repeat $(IS30)_2$ and its role in IS*30*-mediated transpositional DNA rearrangements 177
Oliver MJ, Ferguson DL, Burke JJ, Velten J: Inhibition of tobacco NADH-hydroxypyruvate reductase by expression of a heterologous antisense RNA derived from a cucumber cDNA: Implications for the mechanism of action of antisense RNAs 425
Ortel B → Reinbothe S 416
Osorio AV, Camarena L, Salazar G, Noll-Louzada M, Bastarrachea F: Nitrogen regulation in an *Escherichia coli* strain with a temperature sensitive glutamyl-tRNA synthetase 400
Osteryoung KW, Sundberg H, Vierling E: Poly(A) tail length of a heat shock protein RNA is increased by severe heat stress, but intron splicing is unaffected 323

Parthier B → Reinbothe S 416
Peters L → Leer RJ 269
Pfeifer F, Griffig J, Oesterhelt D: The *fdx* gene encoding the [2Fe–2S] ferredoxin of *Halobacterium salinarium* (*H. halobium*) 66
Planta RJ → Kraakman LS 196
Posno M → Leer RJ 269
Pouwels PH → Leer RJ 269
Putterill J, Robson F, Lee K, Coupland G: Chromosome walking with YAC clones in *Arabidopsis*: isolation of 1700 kb of contiguous DNA on chromosome 5, including a 300 kb region containing the flowering-time gene *CO* 145

Quigley F → DeRocher EJ 450

Ramos JL → Abril MA 281
Rasmussen M, Rossen L, Giese H: SINE-like properties of a highly repetitive element in the genome of the obligate parasitic fungus *Erysiphe graminis* f.sp. *hordei* 298
Reinbothe S, Ortel B, Parthier B: Overproduction by gene amplification of the multifunctional *arom* protein confers glyphosate tolerance to a plastid-free mutant of *Euglena gracilis* 416
Rekik M → Harayama S 81
Richter TE → Hong KS 115
Robson F → Putterill J 145
Rossen L → Rasmussen M 298
Rossi L, Hohn B, Tinland B: The VirD2 protein of *Agrobacterium tumefaciens* carries nuclear localization signals important for transfer of T-DNA to plants 345
Roy DG, Klaenhammer TR, Hassan HM: Cloning and expression of the manganese superoxide dismutase gene of *Escherichia coli* in *Lactococcus lactis* and *Lactobacillus gasseri* 33
Russo P, Simonen M, Uimari A, Teesalu T, Makarow M: Dual regulation by heat and nutrient stress of the yeast *HSP150* gene encoding a secretory glycoprotein 273

Saint R → Knibb WR 109
Salamini F → Wolter M 122
Salazar G → Osorio AV 400
Salmeron JM, Staskawicz BJ: Molecular characterization and *hrp* dependence of the avirulence gene *avrPto* from *Pseudomonas syringae* pv. tomato 6
Sampaio MJ → Van Soom C 235
Sano T → Nishiwaki K 313
Sawamura K, Yamamoto M-T: Cytogenetical localization of *Zygotic hybrid rescue (Zhr)*, a *Drosophila melanogaster* gene that rescues interspecific hybrids from embryonic lethality 441
Schulze-Lefert P → Wolter M 122
Schuster W, Combettes B, Flieger K, Brennicke A: A plant mitochondrial gene encodes a protein involved in cytochrome *c* biogenesis 49
Selakovitch-Chenu L, Seroude L, Sicard AM: The role of penicillin-binding protein 3 (PBP 3) in cefotaxime resistance in *Streptococcus pneumoniae* 77
Sentenac A → Stettler S 169
Seroude L → Selakovitch-Chenu L 77
Shevelyov YY: Aurora, a non-mobile retrotransposon in *Drosophila melanogaster* heterochromatin 205
Shimamoto K, Miyazaki C, Hashimoto H, Izawa T, Itoh K, Terada R, Inagaki Y, Iida S: *Trans*-activation and stable integration of the maize transposable element *Ds* cotransfected with the *Ac* transposase gene in transgenic rice plants 354
Sicard AM → Selakovitch-Chenu L 77
Siddavattam D, Singh M, Klingmüller W: Structure of the *nifQ* gene from *Enterobacter agglomerans* 333 and its overexpression in *Escherichia coli* 435
Simonen M → Russo P 273
Singh M → Siddavattam D 435
Singh M → Xu H 58
Smokvina T, Hopwood DA: Analysis of secondary integration sites for IS*117* in *Streptomyces lividans* and their role in the generation of chromosomal deletions 90
Sommer H → Hansen G 310
Sommer S, Knezevic J, Bailone A, Devoret R: Induction of only one SOS operon, *umuDC*, is required for SOS mutagenesis in *Escherichia coli* 137
Spena A → Hansen G 310
Stalder R → Olasz F 177
Staskawicz BJ → Carland FM 17
Staskawicz BJ → Salmeron JM 6
Stettler S, Chiannilkulchai N, Hermann-LeDenmat S, Lalo D, Lacroute F, Sentenac A, Thuriaux P: A general suppressor of RNA polymerase I, II and III mutations in *Saccharomyces cerevisiae* 169
Stiege AC → Alonso JC 129
Sugita M → Li Y 304
Sugiura M → Li Y 304
Sundberg H → Osteryoung KW 323

Takahashi H → Noguchi T 393
Takahashi N → Goto J 41
Tearle RG → Knibb WR 109
Teesalu T → Russo P 273
Terada R → Shimamoto K 354
Thevelein JM → Kraakman LS 196
Thuriaux P → Stettler S 169
Tinland B → Rossi L 345

Uimari A → Russo P 273

Vanderleyden J → Van Soom C 235
Van Soom C, Verreth C, Sampaio MJ, Vanderleyden J: Identification of a potential transcriptional regulator of hydrogenase activity in free-living *Bradyrhizobium japonicum* strains 235
Velten J → Oliver MJ 425
Verreth C → Van Soom C 235
Verstraete W → Leer RJ 269

Veuskens J → Vyskot B 219
Vierling E → Osteryoung KW 323
Vyskot B, Araya A, Veuskens J, Negrutiu I, Mouras A: DNA methylation of sex chromosomes in a dioecious plant, *Melandrium album* 219

Wakamatsu Y → Goto J 41
Waters R, Zhang R, Jones NJ: Inducible removal of UV-induced pyrimidine dimers from transcriptionally active and inactive genes of *Saccharomyces cerevisiae* 28
Wilkinson JQ, Crawford NM: Identification and characterization of a chlorate-resistant mutant of *Arabidopsis* thaliana with mutations in both nitrate reductase structural genes *NIA1* and *NIA2* 289
Wolter M, Hollricher K, Salamini F, Schulze-Lefert P: The *mlo* resistance alleles to powdery mildew infection in barley trigger a developmentally controlled defence mimic phenotype 122

Xu H, Davies SP, Kwan BYH, O'Brien AP, Singh M, Knox RB: Haploid and diploid expression of a *Brassica campestris* anther-specific gene promoter in *Arabidopsis* and tobacco 58

Yamamoto M-T → Sawamura K 441

Zerp S → Kraakman LS 196
Zhang R → Waters R 28

Indexed in *Current Contents*